

Table 9.12b
Adjusted Patient Survival, Living Donor Liver Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	592	96.2%	0.8%	592	91.7%	1.3%	2,086	77.7%	1.1%	2,936	70.7%	1.3%
Age at Tx												
<1 Year	53	94.2%	3.2%	53	92.3%	3.7%	175	84.5%	3.2%	395	81.8%	2.2%
1-5 Years	44	97.6%	2.3%	44	83.5%	5.8%	168	79.9%	3.7%	321	79.5%	2.5%
6-11 Years	17	+	+	17	+	+	42	80.8%	7.8%	81	83.4%	4.3%
12-17 Years	5	+	+	5	+	+	32	79.1%	8.6%	55	77.7%	6.6%
18-34 Years	51	94.4%	3.2%	51	94.4%	3.2%	159	84.9%	3.5%	208	77.3%	4.1%
35-49 Years	119	97.6%	1.4%	119	97.6%	1.4%	515	78.7%	2.2%	672	31.6%	14.6%
50-64 Years	259	94.1%	1.5%	259	85.5%	2.3%	875	74.8%	1.8%	1,080	62.5%	3.2%
65+ Years	51	93.6%	3.5%	51	85.1%	5.2%	143	70.7%	4.8%	176	54.2%	6.6%
Recipient Ethnicity/Race												
White	482	96.1%	0.9%	482	92.0%	1.4%	1,626	76.4%	1.3%	2,237	70.0%	1.6%
African American	25	96.5%	3.5%	25	89.0%	5.8%	96	76.3%	4.9%	174	67.6%	4.1%
Hispanic/Latino	66	95.4%	2.6%	66	90.5%	3.7%	276	84.2%	2.5%	399	73.3%	3.5%
Asian	15	100.0%	0.0%	15	90.0%	6.4%	71	81.5%	4.9%	107	80.1%	4.0%
Other/Multi-race	4	+	+	4	+	+	17	92.2%	7.1%	19	77.7%	11.3%
Recipient Gender												
Female	259	97.1%	1.0%	259	94.1%	1.4%	903	79.6%	1.6%	1,329	70.9%	2.1%
Male	333	95.2%	1.1%	333	89.2%	1.8%	1,183	76.1%	1.5%	1,607	71.1%	1.5%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 9.12b (Continued)
Adjusted Patient Survival, Living Donor Liver Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	592	96.2%	0.8%	592	91.7%	1.3%	2,086	77.7%	1.1%	2,936	70.7%	1.3%
Transplant Center State												
ALABAMA	0	-	-	0	-	-	2	+	+	6	61.4%	19.4%
ARIZONA	25	97.4%	2.5%	25	94.6%	3.7%	74	88.6%	3.6%	74	88.6%	3.6%
CALIFORNIA	74	97.9%	1.5%	74	94.5%	2.5%	369	82.4%	2.2%	482	75.9%	3.3%
COLORADO	20	95.8%	3.9%	20	95.8%	3.9%	87	84.4%	4.3%	121	75.7%	6.3%
DELAWARE	8	+	+	8	+	+	31	88.7%	6.1%	35	90.1%	5.3%
FLORIDA	2	+	+	2	+	+	21	66.9%	10.2%	56	54.3%	6.8%
GEORGIA	1	+	+	1	+	+	19	71.4%	10.5%	33	83.5%	6.6%
IOWA	0	-	-	0	-	-	3	63.6%	23.3%	10	79.4%	12.2%
ILLINOIS	66	96.5%	2.0%	66	90.4%	3.3%	177	72.2%	4.8%	236	71.6%	3.8%
INDIANA	0	-	-	0	-	-	0	-	-	3	63.9%	24.2%
KENTUCKY	0	-	-	0	-	-	1	0.0%	0.0%	1	0.0%	0.0%
LOUISIANA	0	-	-	0	-	-	8	57.7%	17.0%	13	51.7%	15.3%
MASSACHUSETTS	61	98.2%	1.3%	61	96.3%	1.9%	169	81.2%	3.8%	218	38.0%	19.1%
MARYLAND	9	+	+	9	+	+	38	91.6%	4.7%	82	80.0%	4.7%
MICHIGAN	12	+	+	12	+	+	27	87.9%	8.1%	37	83.5%	6.9%
MINNESOTA	49	96.9%	2.1%	49	92.2%	3.4%	120	77.3%	5.3%	140	78.1%	4.4%
MISSOURI	4	69.5%	25.1%	4	69.5%	25.1%	23	76.4%	9.0%	43	65.7%	8.4%
NORTH CAROLINA	2	+	+	2	+	+	30	78.8%	8.9%	65	71.8%	6.2%
NEBRASKA	8	100.0%	0.0%	8	51.5%	22.8%	41	68.7%	10.1%	58	69.5%	7.9%
NEW JERSEY	0	-	-	0	-	-	0	-	-	3	60.1%	25.6%
NEW YORK	92	93.5%	2.3%	92	90.1%	2.9%	430	76.6%	2.3%	630	66.6%	2.9%
OHIO	14	95.2%	4.7%	14	72.8%	10.2%	36	60.4%	9.5%	71	63.6%	6.4%
PENNSYLVANIA	104	94.1%	2.2%	104	88.9%	3.0%	224	70.7%	4.8%	259	70.4%	4.1%
SOUTH CAROLINA	1	+	+	1	+	+	7	85.7%	12.3%	8	86.9%	11.4%
TENNESSEE	2	+	+	2	+	+	15	60.0%	12.3%	31	61.1%	9.3%
TEXAS	2	+	+	2	+	+	19	62.6%	10.8%	28	62.1%	10.9%
UTAH	2	+	+	2	+	+	9	75.1%	14.0%	17	73.3%	11.0%
VIRGINIA	26	100.0%	0.0%	26	94.4%	3.8%	73	83.8%	4.8%	135	58.1%	9.9%
WASHINGTON	1	+	+	1	+	+	1	+	+	2	+	+
WISCONSIN	1	+	+	1	+	+	16	72.4%	11.4%	19	59.3%	13.3%
Primary Diagnosis												
Non-Cholestatic Cirrhosis	260	95.5%	1.3%	260	90.3%	2.1%	1,043	73.5%	1.6%	1,343	55.9%	5.6%

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 9.12b (Continued)
Adjusted Patient Survival, Living Donor Liver Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Primary Diagnosis												
Cholestatic Liver Disease/Cirrhosis	132	94.0%	2.2%	132	90.5%	2.8%	418	86.9%	2.0%	515	72.8%	4.2%
Acute Hepatic Necrosis	29	100.0%	0.0%	29	94.9%	3.6%	93	77.6%	4.6%	158	76.7%	3.4%
Biliary Atresia	56	98.8%	1.3%	56	98.8%	1.3%	193	89.0%	2.7%	413	85.3%	1.9%
Metabolic Diseases	14	94.5%	5.2%	14	94.5%	5.2%	52	69.8%	7.1%	98	76.2%	4.5%
Malignant Neoplasms	53	95.8%	2.4%	53	86.8%	4.3%	134	55.0%	5.7%	191	52.2%	4.4%
Other	48	98.3%	1.7%	48	93.2%	3.5%	153	80.7%	3.8%	218	71.1%	5.0%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.